Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

*

1 Identification

· **Product identifier**

· **Trade name:** Tommy Classic Drying Aid
· **Other means of identification**

· **Article number:** C-2507
· **Application of the substance / the mixture** Drying Agent / Rinse Aid for Commercial Car Wash

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Tommy Car Wash Systems
648 S Point Ridge
HOLLAND, MI 49423
+1 (616) 494-0771

· **Information department:**
support@tommycarwash.com
www.tommycarwash.com/detergents
· **Emergency telephone number:**
United States:
Chemtrec
631404
1-800-424-9300 (24 hours).
1-703-527-3887 (24 hours (international))

2 Hazard(s) identification

· **Classification of the substance or mixture**

GHS08 Health hazard

Aspiration hazard 1	H304 May be fatal if swallowed and enters airways.

GHS07

Acute toxicity - oral 4	H302 Harmful if swallowed.
Acute toxicity - inhalation 4	H332 Harmful if inhaled.
Skin irritation 2	H315 Causes skin irritation.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 1)

Eye irritation 2A H319 Causes serious eye irritation.

· **Label elements**
· **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**

GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**
2-Butoxyethanol
· **Hazard statements**
Harmful if swallowed or if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May be fatal if swallowed and enters airways.
· **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves / eye protection / face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Do NOT induce vomiting.
If on skin: Wash with plenty of water.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Rinse mouth.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 2)

· **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
· **Hazards not otherwise classified**
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**		
111-76-2	2-Butoxyethanol	≥3-<10%
64742-46-7	Distillates (petroleum), hydrotreated middle	≥3-≤10%

4 First-aid measures

· **Description of first aid measures**
· **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· **After swallowing:** Immediately call a doctor.
· **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 3)

· **Special hazards arising from the substance or mixture** No further relevant information available.
· **Advice for firefighters**
· **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Not required.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
111-76-2	2-Butoxyethanol	60 ppm

· **PAC-2:**		
111-76-2	2-Butoxyethanol	120 ppm

· **PAC-3:**		
111-76-2	2-Butoxyethanol	700 ppm

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:** Keep receptacle tightly sealed.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Control parameters**
· **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

111-76-2 2-Butoxyethanol	
PEL	Long-term value: 240 mg/m³, 50 ppm Skin
REL	Long-term value: 24 mg/m³, 5 ppm Skin
TLV	Long-term value: 97 mg/m³, 20 ppm BEI, A3

· **Ingredients with biological limit values:**	
111-76-2 2-Butoxyethanol	
BEI	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid (BAA) (with hydrolysis)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**

Protective gloves

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**
· **General Information**

· **Physical state**	Liquid
· **Color:**	According to product specification
· **Odor:**	Characteristic
· **Odor threshold:**	Not determined.
· **Melting point/Melting range:**	0 °C (32 °F)
· **Boiling point/Boiling range:**	100 °C (212 °F)
· **Flammability:**	Not applicable.
· **Explosion limits:**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	Not applicable.
· **Auto igniting:**	240 °C (464 °F)
· **Decomposition temperature:**	Not determined.
· **pH-value at 20 °C (68 °F):**	8.5–9
· **Viscosity:**	
· **Kinematic:**	Not determined.
· **Dynamic:**	Not determined.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 6)

· **Solubility in / Miscibility with**	
· **Water:**	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Vapor pressure:**	Not determined.
· **Vapor pressure:**	
· **Density:**	Not determined.
· **Relative density**	Not determined.
· **Vapor density**	Not determined.
· **Particle characteristics**	Not applicable.

· **Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Solvent content:**	
· **Organic solvents:**	3–9 %
· **VOC content:**	3–9 % 90.0 g/l / 0.75 lb/gal
· **Solids content:**	57–79 %
· **Change in condition**	
· **Evaporation rate**	Not determined.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 7)

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
ATE (Acute Toxicity Estimate)		
Oral	LD50	13,333–40,000 mg/kg (ATE)
Dermal	LD50	4,444–13,333 mg/kg (rab)
Inhalative	LC50/4 h	33.3–100 mg/l (ATE)

111-76-2 2-Butoxyethanol		
Oral	LD50	1,200 mg/kg (ATE)
		1,414 mg/kg (guinea pig)
		1,480 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (guinea pig)
		400 mg/kg (rab)
Inhalative	LC50/4 h	3 mg/l (ATE)

· **Primary irritant effect:**
· **on the skin:** Irritant to skin and mucous membranes.
· **on the eye:** Irritating effect.
· **Sensitization:** No sensitizing effects known.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful
Irritant
· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**		
111-76-2	2-Butoxyethanol	3

· **NTP (National Toxicology Program)**
None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 8)

· **Alternative sources for toxicological information**
No non-standard sources for toxicological information where used.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**	
· **DOT, IMDG, IATA**	not regulated
· **UN proper shipping name**	
· **DOT, IMDG, IATA**	not regulated

(Contd. on page 10)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 9)

· **Transport hazard class(es)**	
· **DOT, ADN, IMDG, IATA**	
· **Class**	not regulated
· **Packing group**	
· **DOT, IMDG, IATA**	not regulated
· **Environmental hazards:**	Not applicable.
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **Special precautions for user**	Not applicable.
· **UN "Model Regulation":**	not regulated

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

111-76-2	2-Butoxyethanol

· **TSCA (Toxic Substances Control Act):**

111-76-2	2-Butoxyethanol	ACTIVE
64742-46-7	Distillates (petroleum), hydrotreated middle	ACTIVE

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 10)

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

111-76-2	2-Butoxyethanol	NL

· **TLV (Threshold Limit Value)**

111-76-2	2-Butoxyethanol	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**

GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

2-Butoxyethanol

· **Hazard statements**

Harmful if swallowed or if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May be fatal if swallowed and enters airways.

· **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves / eye protection / face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Do NOT induce vomiting.
If on skin: Wash with plenty of water.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Rinse mouth.

(Contd. on page 12)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 05/05/2025 Reviewed on 05/02/2025

Trade name: Tommy Classic Drying Aid

(Contd. of page 11)

Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.
· **Contact:** -
· **Date of previous version** 05/01/2025
· **Date of preparation** 05/05/2025
· **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Acute toxicity - oral 4: Acute toxicity – Category 4
Skin irritation 2: Skin corrosion/irritation – Category 2
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
Aspiration hazard 1: Aspiration hazard – Category 1
· *** Data compared to the previous version altered.**